

\$LOGOIMAGE

TracLinks in reStructuredText

This document illustrates how to use the `..trac::` directive in reStructuredTextThe page is written like

```
1`
:1:2`
:1`
or :trac:`changeset:1`
:3]` or :trac:`log:@1:3`, :trac:`log:trunk@1:3`
ff:@20:30`, :trac:`diff:tags/trac-0.9.2/wiki-default//tags/trac-0.9.3/wiki-default` or :trac:`diff:trunk/trac@3
c:`wiki:CamelCase`

944:attachment.1073.diff`

ce:/trunk/COPYING@200`
revision: :trac:`source:/trunk/COPYING@200#L25`
```

Provided you have docutils installed, the above block will render as:

```
1`
:1:2`
:1`
r :trac:`changeset:1`
:3]` or :trac:`log:@1:3`, :trac:`log:trunk@1:3`
ff:@20:30`, :trac:`diff:tags/trac-0.9.2/wiki-default//tags/trac-0.9.3/wiki-default` or :trac:`diff:trunk/trac@3
c:`wiki:CamelCase`

944:attachment.1073.diff`

ce:/trunk/COPYING@200`
revision: :trac:`source:/trunk/COPYING@200#L25`
```

Note also that any of the above could have been written using the alternate syntax for roles:

```
{#{
#!rst

See `ticket:123`_

.. :trac: ticket:123 Ticket 123
}#{
```

```
See _`ticket:123`

.. trac:: ticket:123 Ticket 123
```

The above form has the additional benefit of allowing you to specify an explicit label for the link.

See also: WikiRestructuredText, TracLinks