

Installing Trac as CGI

To install Trac as a CGI script, you need to make the `trac.cgi` executable as a CGI by your web server.

Please note that using Trac via CGI is significantly slower than any other deployment method, such as mod_python or FastCGI.

If you're using Apache HTTPD, there are a couple ways to do that:

1. Use a `ScriptAlias` to map a URL to the `trac.cgi` script
2. Copy the `trac.cgi` file into the directory for CGI executables used by your web server (commonly named `cgi-bin`). You can also create a symbolic link, but in that case make sure that the `FollowSymLinks` option is enabled for the `cgi-bin` directory.

The first option is recommended as it also allows you to map the CGI to a friendly URL.

Now, edit the Apache configuration file and add this snippet, file names and locations changed to match your installation:

```
ScriptAlias /trac /usr/share/trac/cgi-bin/trac.cgi
```

Note that this directive requires the mod_alias module to be installed and enabled.

If you're using Trac with a single project you need to set its location using the `TRAC_ENV` environment variable:

```
<Location "/trac">
  SetEnv TRAC_ENV "/path/to/projectenv"
</Location>
```

Or to use multiple projects you can specify their common parent directory using the `TRAC_ENV_PARENT_DIR` variable:

```
<Location "/trac">
  SetEnv TRAC_ENV_PARENT_DIR "/path/to/project/parent/dir"
</Location>
```

Note that the SetEnv directive requires the mod_env module to be installed and enable.

This will make Trac available at `http://yourhost.example.org/trac`.

If you are using the Apache suEXEC feature please see <http://trac.edgewall.org/wiki/ApacheSuexec>.

On some systems, you *may* need to edit the shebang line in the `trac.cgi` file to point to your real Python installation path. On a Windows system you may need to configure Windows to know how to execute a .cgi file (Explorer -> Tools -> Folder Options -> File Types -> CGI).

Mapping Static Resources

Out of the box, Trac will serve static resources such as style sheets or images itself. For a CGI setup, though, this is highly undesirable, because it results in the CGI script being invoked for documents that could be much more efficiently served by the web server directly.

Web servers such as Apache HTTPD allow you to create **?Aliases?** to resources, thereby giving them a virtual URL that doesn't necessarily bear any resemblance to the layout of the servers file system. We already used this capability above when defining a **ScriptAlias** for the CGI script, and we'll use it now to map requests to the static resources to the directory on the file system that contains them, thereby bypassing the processing of such requests by the CGI script.

Edit the Apache configuration file again and add the following snippet **before** the **ScriptAlias** for the CGI script , file names and locations changed to match your installation:

```
Alias /trac/chrome/common /usr/share/trac/htdocs
<Directory "/usr/share/trac/htdocs">
  Order allow,deny
  Allow from all
</Directory>
```

Note that whatever URL path you mapped the `trac.cgi` script to, the path `/chrome/common` is the path you have to append to that location to intercept requests to the static resources.

For example, if Trac is mapped to `/cgi-bin/trac.cgi` on your server, the URL of the Alias should be `/cgi-bin/trac.cgi/chrome/common`.

Alternatively, you can set the `htdocs_location` configuration option in `trac.ini`:

```
[trac]
htdocs_location = /trac-htdocs
```

Trac will then use this URL when embedding static resources into HTML pages. Of course, you still need to make the Trac `htdocs` directory available through the web server at the specified URL, for example by copying (or linking) the directory into the document root of the web server:

```
$ ln -s /usr/share/trac/htdocs /var/www/your_site.com/htdocs/trac-htdocs
```

Adding Authentication

The simplest way to enable authentication with Apache is to create a password file. Use the `htpasswd` program to create the password file:

```
$ htpasswd -c /somewhere/trac.HTPASSWD admin
New password: <type password>
Re-type new password: <type password again>
Adding password for user admin
```

After the first user, you dont need the "-c" option anymore:

```
$ htpasswd /somewhere/trac.HTPASSWD john
New password: <type password>
Re-type new password: <type password again>
Adding password for user john
```

See the man page for `htpasswd` for full documentation.

After you've created the users, you can set their permissions using `TracPermissions`.

Now, you'll need to enable authentication against the password file in the Apache configuration:

\$LOGOIMAGE

```
<Location "/trac/login">
  AuthType Basic
  AuthName "Trac"
  AuthUserFile /somewhere/trac.htpasswd
  Require valid-user
</Location>
```

If you're hosting multiple projects you can use the same password file for all of them:

```
<LocationMatch "/trac/[^/]+/login">
  AuthType Basic
  AuthName "Trac"
  AuthUserFile /somewhere/trac.htpasswd
  Require valid-user
</LocationMatch>
```

For better security, it is recommended that you either enable SSL or at least use the ?Digest? authentication scheme instead of ?Basic?. Please read the Apache HTTPD documentation to find out more.

See also: [TracGuide](#), [TracInstall](#), [TracFastCgi](#), [TracModPython](#)